

kiive audio

analog in the box

LUNCHBOX AMP



<https://www.kiiveaudio.com/>

Index

Introduction.....	2
Quick Start.....	3
Installation.....	3
Activation.....	3
First steps.....	4
User Interface.....	5
Key Commands.....	6
The Tool Bar.....	6
Input/Output.....	6
IR Cabs.....	6
Over Sampling.....	6
FX Chain.....	7
Stomp Box Button.....	7
Undo/ Redo.....	7
Gear Button.....	7
The Control Panel.....	7
Amp and Cab Section.....	7
Amp Head.....	7
Cab.....	7
Stomp Box Pedal Section.....	8
Drive.....	8
Delay.....	8
Reverb.....	8

Introduction

This manual describes the features and operations of the Kiive Audio LunchBox Amp Sim plugin. To be sure you understand how to use your plugin and understand all of the subtleties, please read this manual in its entirety.

The information contained in this manual is believed to be correct at the time of publication. However, if an error has unfortunately found its way into its contents, please let us know.

LunchBox Amp is an analog modelled plugin based off of a vintage Vox AC30, with added drive, delay and reverb pedals.

LunchBox Amp offers shiney clean tones perfect for indie rock and pop music as well as amazing driven crunch tones for rock music.

Quick Start

Installation

The LunchBox Amp Sim is available as a plug-in in VST, AU and AAX formats for use with all major DAW software such as Live, Cubase, Logic, Pro Tools, StudioOne, Reaper, etc.

Installation from the macOS installer is automatic. The installer takes care of copying the different plug-ins as well as presets, manual, etc. into the appropriate locations.

Installation from the Windows installer requires dragging and dropping of the plugin files to the appropriate folder location on your pc according to your setup. Common locations for plugins would be:

VST:

- C:\Program Files\VstPlugins
- C:\Program Files\Steinberg\VstPlugins
- C:\Program Files\Common Files\VST2
- C:\Program Files\Common Files\Steinberg\VST2


AAX:

- C:\Program Files\Common Files\Avid\Audio\Plug-Ins

Activation

When you purchase your software, you will receive an activation code that is accessible through both your confirmation email and "My Account" Order history. This activation code contains two (2) licenses so that you can install the software on two systems or have a backup. If you use up the two licences and need to reactivate the plugin in the future (eg: New Computer) Please contact us at kiiveaudio@gmail.com or through our contact section on our site and provide us with your order# and your old activation code and we will reset the license for you to give you more activations.

To activate your plugin, simply copy and paste your activation code into the authorization popup on the first launch of your plugin. (See image 1)



(Image 1)

First Steps

After Installation, Load the "LunchBox Amp" plugin on the track of your choice in your DAW (Plugin listed under the Harmonics Category in Pro Tools) and complete the authorization as described above. After authorizing with a verified licence key the LunchBox Amp Sim is now ready to be put to work.

User Interface



The user interface consists of 3 separate panels:

- The toolbar, common to all Kiive Audio plug-ins (Bottom)
- The control panel, specific to the plug-in. This panel is broken up into two pages; The Amp and Cab page and the Pedals Page (Switchable with a button in the toolbar).

Key Commands

A few key Commands can be used in all Kiive Audio plugins to get full access to all the controls.

- **SHIFT + CLICK:** Use this key command on any knob in the plugin to enter in the exact value you want.
- **DOUBLE CLICK:** Use this command on any knob to return its value to the default state.
- **CMD / CTRL + CLICK:** This command will allow you to adjust values in smaller, more precise increments.

The Toolbar



The toolbar on the LunchBox Amp consists of seven sections to help navigate the plugin.

- **Input / Output**
 - Allows adjustments in volume by +/- 20dB into or out of the plugin.
- **IR Cabs**
 - Clicking on the IR Cab menu will allow you to pick between 3 factory picked cabs (A Marshall, Vox, and Mesa Cab) You can also bypass the cab section to use you own IRs
- **Oversampling**
 - Our oversampling menu allows you to choose from 1x, 2x, 4x, 8x, and 16x oversampling options.

- **FX Chain**
 - The fx chain buttons give you the option to quickly bypass and enable the 3 different Stomp box pedals.
- **Stomp Box Button**
 - The Stomp Box button allows you to switch between the amp page and the pedal page.
- **Undo / Redo**
 - The undo and redo buttons will simply undo or redo any changes made to the plugin parameters.
- **Gear Button**
 - Clicking the gear button will open up a hidden menu, used for resizing the GUI of the plugin. Switch between 50%, 75%, 100% (Default), 125% and 150%.

The Control Panel

- **Amp and Cab Section**
 - **Amp Head:** The amp head works like any regular guitar head. You have access to an on and off switch to just bypass the head section of the plugin. From left to right you have a Gain knob, Low Knob, Mid Knob, High Knob, Presence Knob and Master Volume Knob.
 - **Cab:** The Cab section of the plugin changes the GUI to match the cab selected in the toolbar.



- Stomp Box Pedal Section

- **Drive:** The overdrive pedal is a soft clipping transparent drive with Drive, Tone and Level Knobs. To engage click on the pedals button and the led will then light up.
- **Delay:** The Delay pedal is a simple stereo tape delay with Feedback Time and Mix Knobs. To engage click on the pedals button and the led will then light up.
- **Reverb:** The Reverb pedal is a one knob room reverb. Simply turn the knob up to get some amazing reverb sounds. To engage click on the pedals button and the led will then light up.

